

INDEX MAPS.

T. 1 N. R. 10 E. 2nd Mer.

	389	389	389					
390	6	391	5	391	4	3	2	1
	391		392	392				
390	7	393	8	393	9	10	11	12
	394		394	393				
390	18	394	17		16	15	14	13
391	395							
391	19	20	21	22	23	24		
	30	29	28	27	26	25		
	31	32	33	34	35	36		

Ohio R.
Meanders 395

T. 2 N. R. 10 E. 2nd Mer.

	397	398							
398	6	402	5	4	3	2	1		
	402	402							
399	7	403	8	9	10	11	12		
	403	403							
401	399	18	404	17	16	15	14	13	
	404	404							
401	399	19	405	20	21	22	23	24	
	405	405							
401	400	30	406	29	28	27	26	25	
	406	406							
401	400	31	407	32	407	33	34	35	36
	397	397	397						

Ohio R

Meanders 407

The figures on the lines refer to the page.

389

Township N. 1 North, Range N. 10 East 2, Mer. Indiana

North Boundary. var. 5.50 E.

East On S. boundary of Sec. 31, 1/2 N. 10 E.
through fallen timber & thickets

40.00 At q. Sec. post, from which
a Sugar 12 mi. dist. bears S 71 E 10, 1/2 hr. dist. of
at Beech 12 " " " N 57 W 54 " "

66.25 a Walnut 24 " "

80.00 At post cor. to Sec. 5 & 6, 1/2 N. 10 E of Sec. 31 of
32, 1/2 N. 10 E, from which
a Beech 24 mi. dist. bears N 84 W 23 1/2 hr. dist. of
a Do. 6 " " " N 80 E 35 "
Level poor land, timber Oak, Beech &c.

East On S. boundary of Sec. 32, 1/2 N. 10 E.

15.00 a Brook 15 hrs. wide Course S. E.

26.00 an Ash 12 mi. dist.

36.00 a Brook 10 hrs. wide Course S. W.

40.00 At q. Sec. post, from which
an Elm 12 mi. dist. bears N 6 E 10 hrs. dist. of
an Ironw. 5 " " " S 34 W 11 " "

69.60 a P. Oak 30 " "

80.00 At post cor. to Sec. 4 & 5, 1/2 N. 10 E of Sec. 32 of
33, 1/2 N. 10 E. from which

a Hickory 18 mi. dist. bears N 72 W 17 hrs. dist. of
a P. Oak 24 " " " S 54 E 27 " "

First 1/2 mile rich hilly, timber Ash, Sugar, Walnut, &c.
last poor hilly Oak land

East On S. boundary of Sec. 33, 1/2 N. 10 E.
down a steep hill

26.00 Intersected the Ohio River, At post, from which
a Sugar 7 mi. dist. bears N 30 W 16 hrs. dist. of
a Buckeye 14 " " " S 17 W 16 " "

(Description of Land &c. omitted)

September 13th 1806

T. N. P. E. I. Mer. Indiana

ch. l. l.

West Boundary.

September 13th 1886 variation 5° 50' E.

South On E. boundary of Sec. 1, T. N. P. E. I.

7.50 a Spring S. W.

*40.00 Set of Sec. post, from which
a Poplar 16 in. dia. - bray N 71 E 21 l. dist. of
a Beech 14 " " " N 59 W 31 " "*

63.64 a Do. 14 " "

80.00 Set post Cor. to Sec. 1, 12, 13, T. N. P. E. I. of Sec. 6 of 7

T. N. P. E. I. East, from which

a Beech 3 in. dia. - bray South 8 l. dist. of

a Do. 36 " " " N 65 E 30 " "

*First 1/2 mile level thin land, timber Oak & Beech
last 1/2 level good land, Oak, Poplar, Beech &c.*

South On E. boundary of Sec. 12, T. N. P. E. I.

21.00 an Elm 15 in. dia.

25.00 a Brook 6 l. wide C. S. W.

36.00 a Do. 3 " " " W.

40.00 Set of Sec. post, from which

a Walnut 24 in. dia. - bray N 14 W 4 l. dist. of

a Sugar 6 " " " N 14 W 22 " "

53.25 a Buckeye 24 " "

80.00 Set post Cor. to Sec. 12, 13, T. N. P. E. I. of Sec. 7 of 18

T. N. P. E. I. East, from which

a C. Oak 16 in. dia. - bray N 32 W 28 l. dist. of

a Beech 15 " " " N 18 E 33 " "

*First 1/2 mile rich hill, Sugar, Elm, Walnut, &c.
last 1/2 level rich land, timber Oak, Sugar &c*

South On E. boundary of Sec. 13, T. N. P. E. I.

36.60 an Ash 12 in. dia.

40.00 Set of Sec. post, from which

an Elm 7 in. dia. - bray N 78 E 8 l. dist. of

a Mulberry 7 " " " N 53 W 16 " "

54.50 a Brook 6 l. wide Course W.

T. N. R. E. 2. Mer. Indiana 391

ch. 1/2

55.00 a Beech 8 in. dia.

80.00 At post Cor. to Secs. 13 & 24, T. N. R. E. of Sec. 18 & 19, T. N. R. E. from which

a Poplar 72 in. dia. bray East 5 lvs. dist. of

a Beech 14 " " " West 5 " "

First 1/2 mile rich hill side, timber Sugar, Elm

Ash &c. last 1/2 River bottom timber Beech, Poplar &c.

South On E. boundary of Sec. 24, T. N. R. E.

23.00 a Beech 24 in. dia.

30.00 Intersected Ohio River at post, from which

ash comes 24 in. dia. bray N 26 lvs. dist. of

an Elm 36 " " " N 37 & 47 " "

River bottom timber Beech, Poplar &c.

Surveyed By

Alexander Holmes,

Deputy Surveyor

Comp.

Subdivision.

South Between Secs. 5 & 6

13.50 a Spring branch run E.

40.00 a Gum 16 in. dia. stands for the q. Sec. post

59.00 a Spring branch run E.

80.00 At post Cor. to Secs. 5, 6, 7 & 8, from which

a Buckeye 15 in. dia. bray East 2 lvs. dist. &

a Beech 5 " " " N 12 " "

The last half of the mile very hilly the other level
Beech Ash Poplar & Buckeye Soil rich

West On Random between Secs. 6 & 7

40.00 At temp. q. Sec. post.

80.50 Intersected the W. boundary 8 lvs. S. of post.

This mile broken except the last quarter - Beech
Ash Poplar Cherry &c.

East Connected between Secs. 6 & 7

At NW E. 2nd Mer. Indiana

ch P. 16

- 25.50 a Stream 6 lvs. wide Course S.
 40.25 Set of Sec. post. at average dist. from which
 a Dogwood 4 in. dia. bears N 74 W 23 lvs. dist. &
 a Beech 8 " " " S 4 E 9 " "
 75.00 an Improvement to the right
 80.50 to Section Corner
-

South Between Sec. 4 & 5

- 34.50 a Brook 6 lvs. wide Course S 30 E
 40.00 Set of Sec. post. from which
 a Beech 28 in. dia. bears East 16 lvs. dist. &
 a Sugar 6 " " " West 9 " "
 80.00 Set post Cor. to Sec. 4, 5, 8 & 9, from which
 a W. Ash 28 in. dia. bears South 22 lvs. dist. &
 an Elm 8 " " " N 66 W 16 " "
 this mile broken Beech Oak ash Soil rich
-

West On Random between Sec. 5 & 8

- 40.00 Set temp. of Sec. post.
 80.70 Intersected the N. & S. line at the post
 This mile broken Beech Oak Ash &c. Soil rich
-

East Connected between Sec. 5 & 8

- 10.00 a Brook - 8 lvs. wide Course N. E. begins to
 ascend a Steep Hill
 30.00 a Stream 12 lvs. wide Course S.
 40.35 Set of Sec. post. at average dist. from which
 a B. Ash 36 in. dia. bears S 88 E 6 lvs. dist. &
 a Sugar 12 " " " N 76 W 29 " "
 80.70 to Section Corner
-

East Between Sec. 4 & 9

- 12.50 Enter river bottom
 28.00 Intersect the Ohio river Set post. from which
 a Beech 10 in. dia. bears S 6 E 11 lvs. dist. &
 a W. 28 " " " N 84 W 22 " "

393

M. N. P. E. 2nd Mer. Indiana

ch. 1st lky

This distance principally broken Beech Ash &c.

South Between Sect. 7 & 8
 35.00 begin to descend a steep hill
 40.00 Set q. Sec. post, from which
 a B. Oak 12 in. dia. bears East 20 lks. dist. &
 a Hickory 8 " " " N 40 W 13 " "
 58.00 a Stream 6 lks. wide course S. E.
 65.00 Enter a bottom
 80.00 Set post Cor. to Sect. 7, 8, 17 & 18, from which
 a Beech 18 in. dia. bears N 6 E 1/3 lks. dist. &
 a No. 28 " " " S 20 W 39 " "
 Land broken 3rd rate Beech, Oak, Ash &c.

South Between Sect. 9 & 8
 22.50 crossed a Brook 15 lks. wide Course E. & Enter long bottom
 40.00 Set q. Sec. post, from which
 a Beech 48 in. dia. bears S 50 E 29 lks. dist. &
 a No. 10 " " " — 17 W 15 " "
 71.55 a Poplar 60 " "
 80.00 Set post Cor. to Sect. 8, 9, 16 & 17, from which
 a Gum 40 in. dia. bears S 20 W 19 lks. dist. &
 a Maple 6 " " " N 40 W 7 " "
 this mile level Beech Ash Poplar &c. 2nd rate

South Between Sect. 16 & 17
 7.37 Intersecte Ohio river a Beech 15 in. dia. marked
 for the corner
 Level 3rd rate Land Beech Gum &c.

East Between Sect. 9 & 16
 4.38 to the banks of Ohio river Set post, from which
 a Beech 16 in. dia. bears S 56 W 22 lks. dist. &
 a No. 15 " " " N 85 W 18 " "
 this distance level 3rd rate land Beech &c.

394 S. N. P. M. E. 2^d Mer. Indiana

ch. P. lky

West On Random between Sec. 8 & 17

40.00 Set temp. q. Sec. post.

50.00 Intersected the N. & S. line 10 lks. N. of post.

Level Beech Land

East Corrected between Sec. 8 & 17

40.00 Set q. Sec. post, at average dist. from which
a Hickory 6 in. dia. bears West 3 lks. dist. &
a W. Ash 20 " " " N 16 E 37 " "

60.90 a Poplar 36 " "

80.00 to Section Corner

South Between Sec. 17 & 18

40.00 an Elm 36 in. dia. marked for q. Sec. Cor.

74.34 Intersect the Ohio river Set post, from which
a Beech 16 in. dia. bears N 86 - 8 lks. dist. &

a Sugar 10 " " " N 5 E 28 " "

this mile level Beech Poplar Ash &c. 2^d rate land

West On Random between Sec. 7 & 18

15.00 Begin to ascend a steep hill

40.00 over the hill and Set temp. q. Sec. post.

55.00 a small Stream Course S.

82.25 Intersected the W. boundary 150 lks. N. of post.

this mill very hilly 3^d rate land Beech Ash Oak,

East Corrected between Sec. 7 & 18

23.00 a Stream 8 lks. wide Course S.

41.12 Set q. Sec. post, at average dist. from which
a Hickory 6 in. dia. bears S 48 W 27 lks. dist. &
a W. 6 " " " N 50 E 8 " "

82.25 to Section Corner

East Between Sec. 18 & 19

40.00 Set q. Sec. post, from which

a Beech 22 in. dia. bears S 79 E 17 lks. dist.

395

T. N. E. 2^d. Mer. Indiana

ch. 164

a Beech 22 in. dia. bears N 26 W 12 h. dist. &
 65.50 Intersect the Ohio river, a Maple 22 in. dia.
 marked for the corner—
 this distance level Beech Poplar &c. 2^d. rate —

Meanders of the Ohio River, Beginning
 at a post on N. boundary, thence up stream

N 67 E 4.88 in Sec. 19

N 60 E 11.14

N 65 E 33.25

N 70 E 22.25 to line between Secs. 18 & 19

N 69 E 17.50 to line between Secs. 17 & 18

N 37 W 24.56 in Sec. 17, (from line between Secs. 16 & 17)

N 45 W 17.33

N 55 W 10.56

N 50 W 18.85

N 58 W 14.78

N 65 W 18.95 to line between Secs. 17 & 18

N 30 W 8.40 to line between Secs. 16 & 17

N 7 W 22.98 in Sec. 9, (from line between Secs. 4 & 9)

N 13 W 8.00

N 10 W 11.30

N 17 W 6.34

N 25 W 34.90 to line between Secs. 9 & 16

N 5 E 8.62 in Sec. 4, (from line between Secs. 4 & 9)

North 54.24

N 5 W 16.00 to post on N. boundary.

Surveyed in 1876 by

Stephen Ludlow

Deputy Surveyor

Compd.

T. N. N. 10 E. 2nd Mer. Indiana

I Certify that the foregoing transcript of field notes of Township N. 1 North, Range N. 10 East T. Mer. Indiana, has been compared with the original notes in this office, & found to be correct.

Surveyor General's Office
Cincinnati, Nov. 15. 1842

William Johnston
Sur. Genl.